SvB Safety Services
Fire - Safety - Instruments

Instrument **66**

Portable Gas Detector

Certificate of Inspection - Calibration

Year	Month	Day	Name of Vessel / Unit:	IMO Number:	Certificate Reference:
2020	**10**	**19**	**Seychelles Paradise**	**9538232**	**1521.20**
Classification:			Flag State:	Place of Service:	
DNV-GL			**Seychelles**	**Hamburg**	

We hereby certify that the systems and equipment specified below have been inspected, calibrated and serviced.
The Chart reference states the quantity and the number code of relevant enclosed Service Charts

Gas Detector Details			
Manufacturer:	**Dräger**	**Serial Number:**	**ARYC-0227**
Model:	**X-am 7000**	**Manufacturing Date:**	**2007**

Technical Test:

Inspection of Housing	✓	**Power Indication**	✓
Inspection of Electronical Parts	✓	**Alarm Check**	✓
Sensor Date Check	✓	**Fresh Air and/or Zero Calibration**	✓
Battery Check	✓	**Bump Test**	✓

Calibration Results - Alarm Levels
(Results per Sensor with additional information)

Sensor Type:	Calibration Gas	Alarm 1	Alarm 2	Before	After	Calibration
Explosion Gas I	C4H10 - 50,0 %LEL	20,0 %LEL	40,0 %LEL	48,0 %LEL	50,0 %LEL	Pass
Explosion Gas II	C4H10 - 8,0 Vol.%	n/a	n/a	7,6 Vol.%	8,0 Vol.%	Pass
Oxygen	O2 - 18,0 Vol.%	19,0 Vol.%	23,0 Vol.%	17,7 Vol.%	18,0 Vol.%	Pass
Toxic Gas I	CO - 50,0 PPM	30,0 PPM	60,0 PPM	58,0 PPM	50,0 PPM	Pass
Toxic Gas II	H2S - 15,0 PPM	5,0 PPM	10,0 PPM	17,2 PPM	15,0 PPM	Pass

Next Calibration: **10 / 2021** (shorter intervals might be applicable depending on company, vetting or other regulations)

SvB Safety - Stamp & Signature

SvB Safety Services B.V. - Bohrweg 46-54 - 3208 KR - Spijkenisse (Rotterdam) - Netherlands - email: info@svb-safety.com
SvB Safety Services GmbH - Gaertnerstrasse 81G - 25469 Hamburg-Halstenbek - Germany - email: info@svb-safety.com